

DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

01 AUG 2003 / FOR PERIOD 15 JULY 2003 TO 31 JULY 2003 / VOL. 14/ NO. 03

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

”N” indicates that this is a new document that has been entered to our database.

“M” indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-P-17689 NOT 3	PROPELLANT, DOUBLE -BASE SHEET, TYPE N-5[CUST: OS]	A	1340	OS		23-JUL-03
M MIL-DTL-27443F	PALLETS, CARGO, AIRCRAFT, TYPE HCU-6/E, HCU-12/E[CUST: 99]	A	1670	84		15-JUL-03
M QPL-6039-5	BEARING BALL, ROD END, DOUBLE ROW, SELF-ALIGNING	A	3110	GS4		15-JUL-03
M QPL-24403-32	ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR	A	3439	SH		15-JUL-03
M A-A-59326/2A	COUPLING HALF, MALE BY HOSE SHANK, TYPE II[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	01-MAY-03
M A-A-59714A	RESISTORS, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSES), GENERAL REQUIREMENTS FOR[CUST: EC CC]	A	5905	/	CC	14-JUL-03
M A-A-59714/1A	RESISTOR, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSE) RADIAL LEADED, STYLE RUE[CUST: EC CC]	A	5905	/	CC	14-JUL-03
M A-A-59714/2A	RESISTOR, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSE) RADIAL LEADED, STYLE RXE[CUST: EC CC]	A	5905	/	CC	14-JUL-03
M A-A-59714/3A	RESISTOR, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSE) RADIAL LEADED, STYLE TR[CUST: EC CC]	A	5905	/	CC	14-JUL-03
M QPL-55182-152	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	28-JUL-03
M QPL-55342-93	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	14-JUL-03
M QPL-55365-69	CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	29-JUL-03
M MIL-PRF-15733/38K(1)	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL16[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH]	A	5915		CC	23-JUL-03
M MIL-PRF-15733/44F	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL45[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5915		CC	17-JUL-03
M MIL-PRF-15733/46C	FILTERS, RADIO FREQUENCY INTERFERENCE SUPPRESSION, STYLE FL41[CUST: EC 11 CC] [REVIEW: 19 99 AS MC OS]	A	5915		CC	17-JUL-03
M MIL-PRF-15733/61D	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLES FL30, FL32, FL34, AND FL43[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5915		CC	17-JUL-03
N A-A-59306	FUSE CARTRIDGE CLASS T GENERAL REQUIREMENTS FOR[CUST: EC CC]	A	5920	/	CC	17-JUL-03
N A-A-59306/1	FUSE CARTRIDGE, CLASS T, 300 VOLTS AC, FAST ACTING[CUST: EC CC]	A	5920	/	CC	17-JUL-03
M MIL-DTL-21604E SUP 1	SWITCHES, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR[CUST: SH CC]	A	5930		CC	27-JUN-03
M MIL-PRF-39012/39G(1) NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SC (CABLED)), PIN CONTACT, RIGHT ANGLE, CLASS 2[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	17-JUL-03
M MIL-DTL-83527B	CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99]	A	5935		CC	15-JUL-03
M QPL-39012-121	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A	5935		CC	09-JUL-03
M MIL-PRF-39016/36B(4)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	21-JUL-03
M MIL-PRF-39016/54C(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH]	A	5945		CC	21-JUL-03
N MIL-PRF-83536/36	RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 1PDT, 25 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL[CUST: 11 CC] [REVIEW: 99]	A	5945		CC	08-JUL-03
M MS24166J(1)	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST, (N.O.),TYPE II, NONHERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	21-JUL-03
M MS24178H(1)	RELAY, ELECTROMAGNETIC, 55 AMP, 2PST, (N.O.) TYPE II, NONHERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	21-JUL-03
M MS24187N(1)	RELAYS, ELECTROMAGNETIC, 50/25 AMPERES, 1 PDT (N.O./N.C.), TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	21-JUL-03
M A-A-55483A	SHIELDING BEAD, ELECTRONIC[CUST: EC CC]	A	5950	/	CC	15-JUL-03
M MIL-PRF-19500/270H	SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N2060 AND 2N2060L JAN, JANTX, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH SM]	A	5961		CC	24-JUL-03
M QML-19500-19	SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR	A	5961		CC	28-JUL-03
M QML-38535-17	MICROCIRCUITS MANUFACTURING, GENERAL REQUIREMENTS FOR	A	5962		CC	11-JUL-03
M QPL-24391-16	INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE	A	5970		SH	02-JUL-03
M MIL-DTL-3928/21C(1)	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, TR[CUST: CR EC 11 CC]	A	5985		CC	22-JUL-03
M MIL-STD-202G(1)	ELECTRONIC AND ELECTRICAL COMPONENT PARTS[Test Method Standard][CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MI NS OS SH SM TE]	A	59GP		CC	18-JUL-03
M MIL-PRF-49291/6C	FIBER, OPTICAL, TYPE I, CLASS I, SIZE IV, COMPOSITION A, WAVELENGTH B, RADIATION RESISTANT (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 13 19 33 93 99 AS CC DI]	A	6010		SH	10-JAN-03
M QPL-28876-18	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR	A	6060		SH	28-JUL-03
N A-A-59321	TEST SET, TRANSPONDER SET[CUST: 99]	A	6625	/	84	29-JUL-03
N A-A-59322	OHMMETER[CUST: 99]	A	6625	/	84	28-JUL-03
M QPL-15103-20	SALINITY INDICATING EQUIPMENT	A	6630		SH	27-JUN-03
M MIL-PRF-680A	DEGREASING SOLVENT[CUST: AT AS 68] [REVIEW: 03 11 50 AV DP DS EA GS GS3 MC MD1 MI MP MR SH SM]	A	6850		AT	25-JUL-03
M MIL-DTL-11195F	ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT, HAP-FREE (FOR USE ON AMMUNITION AND OTHER METALS)[CUST: MR SH 99] [REVIEW: 84 AR MD1]	A	8010		MR	16-JUL-03
M QPL-11195-24	ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT, HAO-FREE (FOR USE ON AMMUNITION AND OTHER METALS)	A	8010		MR	16-JUL-03
M QPL-24667-23	COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC)	A	8010		SH	09-JUL-03
M ASTM-D3742	TRICHLOROETHANE CONTENT, 1,1,1,1, STANDARD TESTS METHOD FOR[CUST: MI AS]	A	9135		AS	27-JUN-03
M QPL-2104-45	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE	A	9150		AT	24-JUL-03
M QPL-85734-4	LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE	A	9150		AS	17-JUL-03
N SAE-AMS-H-81200	HEAT TREATMENT OF TITANIUM AND TITANIUM ALLOYS[CUST: MR AS 11] [REVIEW: 84 99 AV GL MI SH]	A	95GP		AS	14-JUL-03
M MIL-STD-3003A	VEHICLES, WHEELED: PREPARATION FOR SHIPMENT AND STORAGE OF[Standard Practice][CUST: AT]	A	PACK		AT	07-JUL-03

ACTIVE SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-STD-2105C NOT 1	HAZARD ASSESSMENT TESTS FOR NON-NUCLEAR MUNITIONS[Test Method Standard][CUST: AR OS 11] [REVIEW: 18 AS TE]	A	SAFT	OS		23-JUL-03
M	MIL-STD-961E	DEFENSE AND PROGRAM-UNIQUE SPECIFICATIONS FORMAT AND CONTENT[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CG CR CT DC DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU NW OS PS PT SA SM SS TD TE TM YD]	A	SDMP	SO		01-AUG-03
M	MIL-STD-962D	DEFENSE STANDARDS FORMAT AND CONTENT[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CG CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU NW OS PS PT SA SM SS TD TE TM YD]	A	SDMP	SO		01-AUG-03
N	MIL-STD-967	DEFENSE HANDBOOKS FORMAT AND CONTENT[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CG CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU NW OS PS PT SA SM SS TD TE TM YD]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81464A	DETAIL SPECIFICATION DOCUMENTS [AMSC: D7502]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81465A	PERFORMANCE SPECIFICATION DOCUMENTS [AMSC: D7501]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81470A	DEPARTMENT OF DEFENSE (DOD) INTERFACE STANDARD DOCUMENTS [AMSC: D7505]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81471A	DEPARTMENT OF DEFENSE (DOD) HANDBOOK DOCUMENTS [AMSC: D7506]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81472A	DEPARTMENT OF DEFENSE (DOD) DESIGN CRITERIA STANDARD DOCUMENTS [AMSC: D7507]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81474A	DEPARTMENT OF DEFENSE (DOD) STANDARD PRACTICE STANDARD DOCUMENTS [AMSC: D7508]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81475A	DEPARTMENT OF DEFENSE (DOD) TEST METHOD STANDARD DOCUMENTS [AMSC: D7509]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81476A	DEPARTMENT OF DEFENSE (DOD) MANUFACTURING PROCESS STANDARD DOCUMENTS [AMSC: D7510]	A	SDMP	SO		01-AUG-03
M	DI-SDMP-81493A	PROGRAM-UNIQUE SPECIFICATION DOCUMENTS [AMSC: D7503]	A	SDMP	SO		01-AUG-03

INACTIVE SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS9725C(1) NOT 2	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A[CUST: AV AS 99 IS]	A	5306	IS		15-JUL-03
M	MIL-PRF-15733/43E	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL70[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5915	CC		17-JUL-03
M	MIL-F-15733/28F	FILTERS RADIO FREQUENCY INTERFERENCE STYLE FL42[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5915	CC		17-JUL-03
M	MIL-PRF-6106/19F(1) NOT 1	RELAYS, ELECTROMAGNETIC, PERMANENT MAGNET DRIVE, 25 AMPERES, SPDT, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99]	A	5945	CC		08-JUL-03
M	MIL-R-5757/23K	RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 10 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5945	CC		25-JUL-03
M	MIL-DTL-28839A	WAVEGUIDES, ELLIPTICAL GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: MI OS SH]	A	5985	CC		22-JUL-03
M	MIL-C-23020/1A NOT 2	CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-293A/U[CUST: EC]	A	6145	CC		17-JUL-03
M	MIL-C-23020/2A NOT 2	CABLE, COAXIAL (SUBMARINE USE) TYPE RG-294A/U[CUST: EC]	A	6145	CC		17-JUL-03
M	MIL-C-23020/6 NOT 2	CABLE, COAXIAL (SUBMARINE USE) TYPE RG-14A/U[CUST: EC]	A	6145	CC		17-JUL-03
M	MIL-PRF-5606H(1)	HYDRAULIC FLUID, PETROLEUM BASE; AIRCRAFT, MISSILE, AND ORDNANCE[CUST: AT AS 11] [REVIEW: 68 AR DS GS MI OS SA SH SM]	A	9150	11		23-JUL-03
M	MIL-R-87120A(1) NOT 3	RODS, PULTRUDED, GRAPHITE FIBER REINFORCED, PROCESSING OF[CUST: 11] [REVIEW: MR]	A	CMPS	11		19-DEC-97
M	MIL-STD-188-196(1) NOT 2	BI-LEVEL IMAGE COMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02 MP] [REVIEW: AC AM AR CE DH DI HP IE IR MD MI NA NS PT SO TM]	A	TCSS	MP		05-JUN-03
M	MIL-STD-188-197A NOT 1	ADAPTIVE RECURSIVE INTERPOLATED DIFFERENTIAL PULSE CODE MODULATION (ARIDPCM) COMPRESSION ALGORITHM FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02 DC] [REVIEW: AC AM AR CE DH DI HP IE IR MD MI NA NS PT SO TM]	A	TCSS	MP		05-JUN-03

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
	M MIL-C-39014/16A NOT 2	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR75 (FEEDTHROUGH) (NO S/S DOCUMENT)(CUST: CR EC 11 CC NA) [REVIEW: AS MC OS SH TD]	A	5910	CC		14-JUL-03
	M MIL-C-39014/17A NOT 2	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR82 (STANDOFF) (NO S/S DOCUMENT)(CUST: CR EC 11 CC NA) [REVIEW: AS MC OS SH]	A	5910	CC		14-JUL-03
	M MIL-C-39014/18A NOT 2	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR76 (FEEDTHROUGH) (NO S/S DOCUMENT)(CUST: CR EC 11 CC NA) [REVIEW: AS MC MI OS SH]	A	5910	CC		14-JUL-03
	M MIL-C-39014/19A NOT 2	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR83 (STANOFF) (NO S/S DOCUMENT)(CUST: CR EC 11 CC NA) [REVIEW: AR AS MC OS SH TD]	A	5910	CC		14-JUL-03
	M MIL-C-85049A SUP 1A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL GENERAL SPECIFICATION FOR (S/S BY SAE-AS85049)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/1A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) (S/S BY SAE-AS85049/1)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/2A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) (S/S BY SAE-AS85049/2)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/3A(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) (S/S BY SAE-AS85049/3)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/4A(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-UP, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) (S/S BY SAE-AS85049/4)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/5B(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) (S/S BY SAE-AS85049/5)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/6A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/6)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/7A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/7)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/8A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/8)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/9A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/9)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/10A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/10)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/11A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/11)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/25A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/25)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/26A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/26)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/27A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS95049/27)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/28B(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-83733 CONNECTORS) (S/S BY SAE-AS85049/28)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/29 NOT 3	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, STRAIN RELIEF, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/29)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/30A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/30)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/31B NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/31)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/32A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 DEGREES, SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/32)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/33A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/33)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/34A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, THREADED ADAPTER, CATEGORY 3C (FOR MIL-C-26482 SERIES I JAM NUT RECEPTACLE CONNECTOR) (S/S BY SAE-AS85049/34)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/36 NOT 3	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/36)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/37A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, SPLIT 90 DEGREES, EMI/RFI SHIELD TERMINATION, CATEGORY 3S (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/37)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03
	M MIL-C-85049/38C(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/38)(CUST: CR AS 11 CC) [REVIEW: 19 99]	A	5935	AS		19-JUN-03
	M MIL-C-85049/39C(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/39)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR AV EC MI]	A	5935	AS		19-JUN-03
	M MIL-C-85049/41A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) (S/S BY SAE-AS85049/41)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935	AS		19-JUN-03

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC Area	MCA	Prep. Acty	Date
M	MIL-C-85049/42A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4A (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) (S/S BY SAE-AS85049/42)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/43A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/43)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/44A(2) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN, RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS) (S/S BY SAE-AS85049/44)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/45A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/45)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
M	MIL-C-85049/46B(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/46)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
M	MIL-C-85049/47B(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/47)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
M	MIL-C-85049/48B NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS) (S/S BY SAE-AS85049/48)(CUST: CR EC 11 CC) [REVIEW: 99 AR MI]	A	5935		AS	19-JUN-03
M	MIL-C-85049/49C(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/49)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
M	MIL-C-85049/50B NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS) (S/S BY SAE-AS85049/50)(CUST: CR EC 11 CC) [REVIEW: 99 AR MI]	A	5935		AS	19-JUN-03
M	MIL-C-85049/51C NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/51)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/52C NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/52)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/53A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/53)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/54A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/54)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/55B NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/55)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/56A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/56)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/57A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEGREES, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (MIL-C-3899 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/57)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/58A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/58)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/59A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) (S/S BY SAE-AS85049/59)(CUST: CR EC 11 CC) [REVIEW: AR]	A	5935		AS	19-JUN-03
M	MIL-C-85049/60A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/60)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/61A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-27599 CONNECTORS) (S/S BY SAE-AS85049/61)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/62A NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/62)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/63A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREES, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/63)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/64B(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/64)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/65B(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT 90 DEG., CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/65)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/69B(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/69)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/74A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/61 POTTING BOOT RING) (S/S BY SAE-AS85049/74)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/75A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/58 POTTING BOOT RING) (S/S BY SAE-AS85049/75)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/76(2) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELDED TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/76)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/77(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/77)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/78(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/78)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/79(2) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/79)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/80 NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 12 AND 8, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) (S/S BY SAE-AS85049/80)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/81 NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) (S/S BY SAE-AS85049/81)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC Area	MCA	Prep. Acty	Date
M	MIL-C-85049/82(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RF/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/82)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/83(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD, BAND TERMINATION, (RF/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/83)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/84(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RF/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/84)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/85(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RF/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/85)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/86(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RF/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/86)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/87(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RF/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND III CONNECTORS) (S/S BY SAE-AS85049/87)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/88(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RF/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY 85049/88)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/89(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RF/EMI), SHRINK SLEEVE ACCOMMODATION, MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/89)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/90(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RF/EMI), SHRINK SLEEVE ACCOMMODATION, MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/90)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/91(1) NOT 1	CONNECTORS, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/91)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/92(1) NOT 1	CONNECTOR, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90 DEG. SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/92)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/93(1) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD, SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7 (S/S BY SAE-AS85049/93)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/94 NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, FULL MOUNTING PERIMETER DEVICE, TYPE I (HEAVY DUTY) (S/S BY SAE-AS 85049/94)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/95 NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 3/4 MOUNTING PERIMETER DEVICE, TYPE II (MEDIUM DUTY) (S/S BY SAE-AS85049/95)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/96 NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE, TYPE III (LIGHT DUTY) (S/S BY SAE-AS85049/96)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	QPL-83527-2(1) NOT 1	CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)	A	5935		CC	29-JUL-03
M	MS25033C(1) NOT 1	RELAY, 200 AMP, 1 PST, SEALED, CLASS O (S/S BY MS24183)(CUST: AS 11 CC) [REVIEW: 99]	A	5945		CC	21-JUL-03
M	MIL-PRF-1/28H NOT 1	ELECTRON TUBE, PHOTOMULTIPLIER TYPE 1P21 (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS CG MC OS]	A	5960		CC	15-JUL-03
M	MIL-F-39000/2B NOT 2	FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS AV CG MC OS]	A	5985		CC	02-JUL-03
M	MIL-F-39000/4B NOT 2	FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6:1) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS AV MC OS SH]	A	5985		CC	02-JUL-03
M	QPL-11090-18 NOT 1	CLEANING COMPOUND, DEGREASING AND DEPRESERVING SOLVENT (NO S/S DOCUMENT)	A	6850		MR	22-JUL-03
M	SAE-MAM6304	STEEL, LOW-ALLOY, HEAT-RESISTANT, BARS, FORGINGS, AND TUBING 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) (NO S/S DOCUMENT)(CUST: MR AS 11 IS)	A	9510		IS	17-JUL-03
M	SAE-AMS6524	STEEL SHEET, STRIP, AND PLATE 1.0CR - 7.5NI - 4.5CO - 1.0MO - 0.09V (0.29 - 0.34C) CONSUMABLE ELECTRODE VACUUM MELTED, ANNEALED (NO S/S DOCUMENT)(CUST: MR AS 11 IS)	A	9515		IS	17-JUL-03
M	SAE-MAM5536	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED (NO S/S DOCUMENT)(CUST: MR AS 11 IS) [REVIEW: 84 GS]	A	9515		IS	17-JUL-03
M	SAE-MAM5599	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 62NI - 21.5CR - 9.0MO - 3.7(CB+TA) ANNEALED (NO S/S DOCUMENT)(CUST: MR AS 11 IS)	A	9515		IS	17-JUL-03
M	MIL-STD-1261C NOT 5	ARC WELDING PROCEDURES FOR CONSTRUCTIONAL STEELS (NO S/S DOCUMENT)[Military Standard](CUST: AT) [REVIEW: MR]	A	THUM		AT	28-JUL-03